Author Index

Adlof, R.O.
Separation of *cis* and *trans* unsaturated fatty acid methyl esters by silver ion high-performance liquid chromatography 659(1994)95

Alred, P.A., Kozlowski, A., Harris, J.M. and Tjerneld, F.
Application of temperature-induced phase partitioning at ambient temperature for enzyme purification 659(1994)289

Andersson, J.T. and Weis, U.
Gas chromatographic determination of polycyclic aromatic compounds with fluorinated analogues as internal standards 659(1994)151

Ansorgová, A., see Vejrosta, J. 659(1994)209

Aomura, Y., see Ogino, H. 659(1994)381

Asztemborska, M., see Sybilska, D. 659(1994)389

Atamas, S.P.
Isotachophoresis of polyols in borate buffer solutions —a reply 659(1994)224

Barker, G.E., see Wu, N. 659(1994)435

Bartels, R. and Bock, L.
Determination of pteroic acid by high-performance thin-layer chromatography. Contribution to the investigation of 7,8-dihydropteroate synthase 659(1994)185

Bartle, K.D., see Vejrosta, J. 659(1994)209

Bashe, W., see Hodgeson, J. 659(1994)395

Bello, M.S., Rezzonico, R. and Righetti, P.G.
Capillary electrophoresis instrumentation as a bench-top viscometer 659(1994)199

Bock, L., see Bartels, R. 659(1994)185

Buffham, B.A., see Meacham, R.I. 659(1994)205

Buszewski, B., see Kasturi, P. 659(1994)261

Cann, J.R., see Munro, P.D. 659(1994)267

Carr, P.W., see Li, J. 659(1994)367

Casale, J.F., see Moore, J.M. 659(1994)163

Cassidy, R.M., see Stathakis, C. 659(1994)443

Chase, H.A., see McCreath, G.E. 659(1994)275

Chen, T.K. and Mills, R.J.
Direct high-performance liquid chromatographic separation of an enantiomeric peptidoleukotriene antagonist and its homologues 659(1994)321

Chen, Y., see Zhou, W. 659(1994)477

Cleroux, C., see Lawrence, J.F. 659(1994)119

Collins, J., see Hodgeson, J. 659(1994)395

Cooper, D.A., see Moore, J.M. 659(1994)163

Crego, A.L., Dabrio, M.V. and Díez-Masa, J.C.
Comparison of two injection systems to be used with 5 μm I.D. open-tubular columns 659(1994)255

Dabrio, M.V., see Crego, A.L. 659(1994)255

Dai, R., see Zhou, W. 659(1994)477

Deacon, M., Smyth, M.R. and Tuinstra, L.G.M.Th.
Chromatographic separations of metal chelates present in commercial fertilisers. II. Development of an ion-pair chromatographic separation for the simultaneous determination of the Fe(III) chelates of EDTA, DTPA, HEEDTA, EDDHA and EDDHMA and the Cu(II), Zn(II) and Mn(II) chelates of EDTA 659(1994)349

Díez-Masa, J.C., see Crego, A.L. 659(1994)255

Drott, D.W., see Meacham, R.I. 659(1994)205

Frank, H., see Funk, M. 659(1994)57

Fu, R., see Zhou, W. 659(1994)477

Funk, M., Frank, H., Oesch, F. and Platt, K.L.
Development of chiral stationary phases for the enantiomeric resolution of dihydrodiols of polycyclic aromatic hydrocarbons by π-donor–acceptor interactions 659(1994)57

Gale, D.C., see Wahl, J.H. 659(1994)217

Garrido, J.L., see Medina, I. 659(1994)472

Gibbons, W.A., see Korakas, D. 659(1994)307

Gilpin, R.K., see Kasturi, P. 659(1994)261

Grandgirard, A., see Sebedio, J.L. 659(1994)101

Guan, H., Stanley, B.J. and Guiochon, G.
Theoretical study of the accuracy and precision of the measurement of single-component isotherms by the elution by characteristic point method 659(1994)27

Guiochon, G., see Guan, H. 659(1994)27

Guiochon, G., see Zhu, J. 659(1994)15

Haken, J.K.
Chromatography of polymers —Characterization by SEC and FFF (edited by T. Provder) (Book Review) 659(1994)228

Harris, J.M., see Alred, P.A. 659(1994)289

Hodgeson, J., Collins, J. and Bashe, W.
Determination of acid herbicides in aqueous samples by liquid–solid disk extraction and capillary gas chromatography 659(1994)395

Huang, Z., see Zhou, W. 659(1994)477

Huie, C.W., see Wu, N. 659(1994)435

Jaroniec, M., see Kasturi, P. 659(1994)261

Jensen, E., see Stensen, W. 659(1994)87

Jinno, K.
HPLC detection: newer methods (edited by G. Patonay) (Book Review) 659(1994)225

Kailas, T., see Orav, A. 659(1994)143

Kasturi, P., Buszewski, B., Jaroniec, M. and Gilpin, R.K.
Reordering/resolvation studies of alkylamide phases 659(1994)261

Kataoka, H., Miyanaga, Y. and Makita, M.
Determination of selenocyst(e)amine, selenocyst(e)ine and selenomethionine by gas chromatography with flame photometric detection 659(1994)481

Kenndler, E., see Reijenga, J.C. 659(1994)403

Kenndler, E., see Reijenga, J.C. 659(1994)417

Khaledi, M.G., see Quang, C. 659(1994)459

Klein, R.F.X., see Moore, J.M. 659(1994)163

Kokk, H., see Mäeorg, U. 659(1994)213

Kokusenya, Y., see Nishi, H. 659(1994)449

Koplimets, E., see Orav, A. 659(1994)143

Korakas, D., Valkó, K., Wood, I., Gibbons, W.A. and Toth, I.
Structure–retention relationships of diastereomeric mixtures of lipidic amino acid conjugates on reversed-phase stationary phases 659(1994)307

Kowalczyk, J., see Sybilska, D. 659(1994)389

Kozlowski, A., see Alred, P.A. 659(1994)289

Kronberg, B., see Silveston, R. 659(1994)43
Krull, I.S.
Handbook of derivatives for chromatography (by K. Blau and J.M. Halket) (Book Review) 659(1994)226
Krull, I.S., see Szulc, M.E. 659(1994)231
Kuningas, K., see Orav, A. 659(1994)143
Lamm, B., see Pirkle, W.H. 659(1994)69
Lau, B.P.-Y., see Lawrence, J.F. 659(1994)119
Lawrence, J.F., Lau, B.P.-Y., Cleroux, C. and Lewis, D.
Comparison of UV absorption and electrospray mass spectrometry for the high-performance liquid chromatographic determination of domoic acid in shellfish and biological samples 659(1994)119
Lederer, M., see Xuan, H.T.K. 659(1994)191
Lee, H.K., see Ng, C.L. 659(1994)427
Lee, W.-Y. and Nieman, T.A.
Determination of dansyl amino acids using tris(2,2′-bipyridyl)ruthenium(II) chemiluminescence for post-column reaction detection in high-performance liquid chromatography 659(1994)111
Lewis, D., see Lawrence, J.F. 659(1994)119
Li, J. and Carr, P.W.
Gas chromatographic study of solvation enthalpy by solvatochromically based linear solvation energy relationships 659(1994)367
Li, S.F.Y., see Ng, C.L. 659(1994)427
Linares, F., see Medina, I. 659(1994)472
Lowe, C.R., see McCreath, G.E. 659(1994)275
Lydon, J., see Moore, J.M. 659(1994)163
Mäeorg, U., Paama, L. and Kokk, H.
Gas chromatographic determination of organobromine micropollutants in air and water 659(1994)213
Makita, M., see Kataoka, H. 659(1994)481
Mason, G., see Meacham, R.I. 659(1994)205
Matsuzaka, Y., see Oi, S. 659(1994)75
McCreath, G.E., Chase, H.A. and Lowe, C.R.
Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the direct extraction of glucose-6-phosphate dehydrogenase from homogenised bakers' yeast 659(1994)275
McLaughlin, K., see Sagar, K. 659(1994)329
Meacham, R.I., Buffham, B.A., Drott, D.W. and Mason, G.
Fan-induced heating 659(1994)205
Medina, I., Linares, F. and Garrido, J.L.
Use of a packed programmed-temperature vaporizer injector in the solvent elimination mode for the determination of fatty acid methyl esters by gas chromatography 659(1994)472
Menet, J.-M., Thiebaut, D. and Rosset, R.
Cross-axis coil planet centrifuge for the separation and purification of polar compounds (Review) 659(1994)3
Mikešová, M., see Vejrosta, J. 659(1994)209
Mills, R.J., see Chen, T.K. 659(1994)321
Miyamoto, T., see Nishi, H. 659(1994)449
Miyanaga, Y., see Kataoka, H. 659(1994)481
Miyano, S., see Oi, S. 659(1994)75
Moore, J.M., Casale, J.F., Klein, R.F.X., Cooper, D.A. and Lydon, J.
Determination and in-depth chromatographic analyses of alkaloids in South American and greenhouse-cultivated coca leaves 659(1994)163
Munro, P.D., Winzor, D.J. and Cann, J.R.
Allowance for kinetics of solute partitioning in the determination of rate constants by affinity chromatography 659(1994)267
Nadler, T.K., Paliwal, S.K., Regnier, F.E., Singhvi, R. and Wang, D.I.C.
Process monitoring of the production of γ-interferon in recombinant Chinese hamster ovary cells 659(1994)317
Ng, C.L., Lee, H.K. and Li, S.F.Y.
Prevention of protein adsorption on surfaces by polyethylene oxide–polypropylene oxide–polyethylene oxide triblock copolymers in capillary electrophoresis 659(1994)427
Nieman, T.A., see Lee, W.-Y. 659(1994)111
Ning, J.G.
Salting effects in reversed mobile phases on chiral separation of benzonaphthazepine stereoisomers 659(1994)299
Nishi, H., Kokusenya, Y., Miyamoto, T. and Sato, T.
Chiral separation of drugs using cyclodextrins in capillary zone electrophoresis 659(1994)449
Ochocka, R.J., see Sybilska, D. 659(1994)389
Oesch, F., see Funk, M. 659(1994)57
Ogino, H. and Aomura, Y.
Selective enhancement for neon detection in a helium discharge photoionization detector 659(1994)381
Ohkubo, T., Uno, T. and Sugawara, K.
Enantiomer separation of dihydropyridine derivative calcium antagonists by high-performance liquid chromatography with chiral stationary phases 659(1994)467
Oi, S., Ono, H., Tanaka, H., Matsuzaka, Y. and Miyano, S.
Investigation on the chiral discrimination mechanism using an axially asymmetric binaphthalene-based stationary phase for high-performance liquid chromatography 659(1994)75
Ono, H., see Oi, S. 659(1994)75
Orav, A., Kuningas, K., Kailas, T., Koplimets, E. and Rang, S.
Effect of adsorption on the retention values in capillary columns coated with OV-225 and PEG 20M 659(1994)143
Ossicini, L., see Sybilska, D. 659(1994)389
Paama, L., see Mäeorg, U. 659(1994)213
Paliwal, S.K., see Nadler, T.K. 659(1994)317
Paliwal, S.K., see Regehr, M.F. 659(1994)247
Perez, G., see Sybilska, D. 659(1994)389
Pirkle, W.H., Spence, P.L., Lamm, B. and Welch, C.J.
Doubly tethered tertiary amide selectors. Modified version of Doyle *et al.*'s naproxen chiral stationary phase 659(1994)69
Platt, K.L., see Funk, M. 659(1994)57
Ponder, G.W. and Stewart, J.T.
High-performance thin-layer chromatographic determination of digoxin and related compounds, digoxigenin bisdigitoxoside and gitoxin, in digoxin drug substance and tablets 659(1994)177
Prevost, J., see Sebedio, J.L. 659(1994)101
Quang, C. and Khaledi, M.G.
Prediction and optimization of the separation of metal cations by capillary electrophoresis with indirect UV detection 659(1994)459

Rang, S., see Orav, A. 659(1994)143
Regehr, M.F., Paliwal, S.K. and Regnier, F.E.
Ensemble averaging and digital filtering in chromatography and electrophoresis 659(1994)247
Regnier, F.E., see Nadler, T.K. 659(1994)317
Regnier, F.E., see Regehr, M.F. 659(1994)247
Reijenga, J.C.
Isotachophoresis of polyols in borate buffer solutions 659(1994)223
Reijenga, J.C. and Kenndler, E.
Computational simulation of migration and dispersion in free capillary zone electrophoresis. I. Description of the theoretical model 659(1994)403
Reijenga, J.C. and Kenndler, E.
Computational simulation of migration and dispersion in free capillary zone electrophoresis. II. Results of simulation and comparison with measurements 659(1994)417
Rezzonico, R., see Bello, M.S. 659(1994)199
Ribot, E., see Sebedio, J.L. 659(1994)101
Riemer, D.D., see Wells, M.J.M. 659(1994)337
Righetti, P.G., see Bello, M.S. 659(1994)199
Rosset, R., see Menet, J.-M. 659(1994)3
Sagar, K., Smyth, M.R., Wilson, J.G. and McLaughlin, K.
High-performance liquid chromatographic determination of the triphenylmethane dye, malachite green, using amperometric detection at a carbon fibre microelectrode 659(1994)329
Saito, Y., see Takagi, K. 659(1994)127
Satoh, T., see Takagi, K. 659(1994)127
Sato, T., see Nishi, H. 659(1994)449
Sebedio, J.L., Prevost, J., Ribot, E. and Grandgirard, A.
Utilization of high-performance liquid chromatography as an enrichment step for the determination of cyclic fatty acid monomers in heated fats and biological samples 659(1994)101
Shimizu, M., see Takagi, K. 659(1994)127
Silveston, R. and Kronberg, B.
Accurate measurements of solubility and thermodynamic transfer quantities using reversed-phase liquid–liquid chromatography 659(1994)43
Singhvi, R., see Nadler, T.K. 659(1994)317
Smith, R.D., see Wahl, J.H. 659(1994)217
Smyth, M.R., see Deacon, M. 659(1994)349
Smyth, M.R., see Sagar, K. 659(1994)329
Spence, P.L., see Pirkle, W.H. 659(1994)69
Stanley, B.J., see Guan, H. 659(1994)27
Stathakis, C., Warburton, P.L. and Cassidy, R.M.
Capillary electrophoretic separation of anticoagulant rodenticides in aqueous electrolytes modified with organic solvents 659(1994)443
Stensen, W. and Jensen, E.
High-performance liquid chromatographic separations of naphthoquinones and their derivatives. Effect of hydrogen bonding on retention 659(1994)87
Stewart, J.T., see Ponder, G.W. 659(1994)177
Sugawara, K., see Ohkubo, T. 659(1994)467
Sybilska, D., Asztemborska, M., Kowalczyk, J., Ochocka, R.J., Ossicini, L. and Perez, G.
Enantiomeric composition of terpenic hydrocarbons in essential oils from *Juniperus communis* L. 659(1994)389
Synovec, R.E., see Taylor, D.B. 659(1994)133
Szulc, M.E. and Krull, I.S.
Improved detection and derivatization in capillary electrophoresis (Review) 659(1994)231
Takagi, K., Toyoda, M., Shimizu, M., Satoh, T. and Saito, Y.
Determination of tomatine in foods by liquid chromatography after derivatization 659(1994)127
Tanaka, H., see Oi, S. 659(1994)75
Taylor, D.B. and Synovec, R.E.
Liquid chromatographic determination of copper speciation in jet fuel resulting from dissolved copper 659(1994)133
Thiebaut, D., see Menet, J.-M. 659(1994)3
Tjerneld, F., see Alred, P.A. 659(1994)289
Toth, I., see Korakas, D. 659(1994)307
Toyoda, M., see Takagi, K. 659(1994)127
Tuinstra, L.G.M.Th., see Deacon, M. 659(1994)349
Uno, T., see Ohkubo, T. 659(1994)467
Valkó, K., see Korakas, D. 659(1994)307
Vejrosta, J., Ansorgová, A., Mikešová, M. and Bartle, K.D.
Sensitivity enhancement in dynamic "off-line" supercritical fluid extraction 659(1994)209
Wada, H., see Yasui, T. 659(1994)359
Wahl, J.H., Gale, D.C. and Smith, R.D.
Sheathless capillary electrophoresis–electrospray ionization mass spectrometry using 10 μm I.D. capillaries: analyses of tryptic digests of cytochrome *c* 659(1994)217
Wang, D.I.C., see Nadler, T.K. 659(1994)317
Warburton, P.L., see Stathakis, C. 659(1994)443
Weis, U., see Andersson, J.T. 659(1994)151
Welch, C.J., see Pirkle, W.H. 659(1994)69
Wells, M.J.M., Riemer, D.D. and Wells-Knecht, M.C.
Development and optimization of a solid-phase extraction scheme for determination of the pesticides metribuzin, atrazine, metolachlor and esfenvalerate in agricultural runoff water 659(1994)337
Wells-Knecht, M.C., see Wells, M.J.M. 659(1994)337
Wilson, J.G., see Sagar, K. 659(1994)329
Winzor, D.J., see Munro, P.D. 659(1994)267
Wood, I., see Korakas, D. 659(1994)307
Wu, N., Barker, G.E. and Huie, C.W.
Separation of porphyrins and porphyrin isomers in capillary electrophoresis using mixed ionic surfactant–bovine serum albumin buffer systems 659(1994)435
Xuan, H.T.K. and Lederer, M.
Adsorption chromatography on cellulose. XI. Chiral separations with aqueous solutions of cyclodextrins as eluents 659(1994)191
Yamada, H., see Yasui, T. 659(1994)359
Yasui, T., Yuchi, A., Yamada, H. and Wada, H.
Reversed-phase high-performance liquid chromatographic behaviour of some metal 1-(2-pyridylazo)-2-naphthol chelates 659(1994)359
Yuchi, A., see Yasui, T. 659(1994)359
Zhou, W., Fu, R., Dai, R., Huang, Z. and Chen, Y.
Comparison of crown ether side-chain polysiloxanes with and without liquid crystalline character as stationary phases for capillary gas chromatography 659(1994)477
Zhu, J. and Guiochon, G.
Shock layer thickness and optimum linear velocity in displacement chromatography 659(1994)15